GENERAL INDEX TO VOLUME IV

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italio*; and previously published scientific names and all other matter in ordinary type.

A

alboflavescens (Coniophora), 248 alboflavescens (Cortioium), 247 albus (Merulius), 334 albus (Merulius), 334
Algological Notes. I, Chlorochytrium
glocophilum Bohlin, 271; II, Preliminary list of algae in Devils Lake,
North Dakota, 293
Almi (Plicatura), 326
Almi (Trogia), 326
ambiguus (Merulius), 317 americanus (Merulius), 345 Ammonia, tests for, in diseased tobacco leaves, 179 Anabaena flos-aquae, 297
Aphanothece Castagnei, 294
Apple decection, growth of Aspergillus
niger on, 280, 283; growth of Glocosporium Gossypii on, 281, 283 arida (Coniophora), 244 arida (Thelephora), 244 aridum (Corticium), 244 Arthrospira Jenneri, 296 Aspergillus niger, growth of, on various decections, 168, 169, 280; on Richards' solution and modified decections, 282 atrocinerea (Coniophera), 260 atrocinerea (Coniophorella), 260 atrovirens (Merulius), 359 aureus (Merulius), 343 avellanea (Coniophora), 251 Avocado, mosaic disease of, 210; diseased and healthy plants, 232

Bean decoction, 166; growth of various fungi on, 168 bellus (Merulius), 331 belus (Merulius), 331
Boletus lacrymans, 340
brassicaefolius (Merulius), 348
brunneola (Coniophora), 257
brunneolum (Corticium), 257
Bryan, Mary M. A spurless variety of
Habenaria psycodes, 37

ANN. Mo. BOT. GARD., Vol. 4, 1917.

Burt, E. A. Merulius in North America, 305; Odontia Sacchari and O. ica, 305; Odontia Sacchari and O. saccharicola, new species on sugar cane, 233; The Thelephoraceae of North America, VIII, 237
byssoidea (Coniophora), 263
byssoidea (Coniophora), 263
byssoidea (Peniophora), 263
byssoidea (Thelephora), 263
byssoidea (Corticium), 263
byssoideum (Corticium), 263
byssoideum (Merulius), 358

C Calcium, tests for, in diseased and healthy plant tissue, 183
Calothrix Braunii, 298; parietina, 298
Cantharellus incarnatus, 310
capnoides (Coniophora), 267 Carbohydrates, tests for, in diseased and healthy plant tissue, 185 Carrot decoction, growth of Aspergillus niger on, 280, 285; growth of Gloeo-sporium Gossypii on, 281, 285 Celery decoction, growth of Aspergillus niger on, 280, 286; growth of Glocosporium Gossypii on, 281, 286 Centrosphaera gloeophila, 272 ceracellus (Merulius), 339 cerebella (Coniophora), 240 cerebella (Thelephora), 240 Characium Hookeri, 299 chlorinum (Corticium), 265 Chlorochytrium gloeophilum, 271, 278 Chlorophyceae, 298 Chroococcaceae, 294 Chroococcus limneticus, 294; minutus, 294 Citron, mosaic disease of, 195, 230 Cladophora Keutzingiana, 301 Cladophoraceae, 301 Clathrocystis aeruginosa, 294 Coccogoneales, 294 Coelastrum microporum, 299 Coelosphaerium Kuetzingianum, 294 Compositae, Two exotic, in North America, 289

(363)

confluens (Merulius), 319
Coniophora, 237; alboflavescens, 248; arida, 244; atrocinerea, 260; avellanea, 251; brunneola, 257; byssoidea, 263; capnoides, 267; cerebella, 240; Cookei, 244; orocea, 262; dryina, 253; Ellisii, 257; flava, 261; fulvoolivacea, 258; fusispora, 243; Harperl, 252; inflata, 247; insimuans, 268; Kalmiae, 246; lacticolor, 261; leucothria, 257; olivacea, 257; olivacea, 265; puteana, 240; sistotremoides, 249; sordulenta, 267, 268; subochracea, 265; suffocata, 254; umbrina, 256; vaga, 251
Coniophorella, 237; byssoidea, 263; olivacea, 257; umbrina, 256
Conjugales, 298
Cookei (Coniophora), 244
corium (Merulius), 322
Corn meal decoction, 166; growth of

various fungi on, 168
Corticium albofacescens, 247; aridum, 244; brunneolum, 257; byssoideum, 263; chlorinum, 265; dryinum, 253; Ellisii, 257; fusisporum, 243; Kalmiae, 246; laeticolor, 262; leucothrix, 257; olivaceum, 257; olivascens, 265; pallescens, 267; polyporoideum, 247; prasinum, 265; puteanum, 240; saccharinum, 337; sordulentum, 268; suffocatum, 254; thelephoroides, 268; umbrinum, 256 crocea (Coniophora), 262

cubensis (Merulius), 326 Cucumber, mosaic disease of, 193, 210, 230

D

Decoctions, plant, The growth of certain fungi in, 165, 279
deglubens (Merulius), 325
deglubens (Merulius), 325
deglubens (Phlebia), 325
destruens (Merulius), 340
destruens (Xylomyzon), 341
Devils Lake, North Dakota, description
of, 293; list of algae in, 294
Dictyosphaerium pulchellum, 299
Diplonema sordescens, 263
domesticus (Merulius), 341
dryina (Coniophora), 253
dryinum (Corticium), 253
dublus (Merulius), 330
Duggar, B. M., Severy, J. W., and
Schmitz, H. Studies in the physiology of the fungi. III, The growth
of certain fungi in plant decoctions,
165, V, 279
Durability of yellow pine, 93

E Ellisii (Coniophora), 257 Ellisii (Corticium), 257 Ellisii (Hymenochaete), 257 Enteromorpha prolifera, 301 Erechtites arguta, 291, 292

F

Farlowil (Merulius), 336
flava (Coniophora), 261
Freiberg, G. W. Studies in the mosaic diseases of plants, 175
fugax (Merulius), 352
futvo-olivacea (Coniophora), 258
Fungi: The growth of certain, in plant decoctions, 165, 279; Studies in the physiology of the, III, 93, IV, 165, V, 279
fusispora (Coniophora), 243
fusisporum (Corticium), 243

G

Gates, R. R. A systematic study of the North American genus Trillium, its variability and its relation to Paris and Medeola, 43 Gloetrichia natans, 298 Glomerella (Gloeosporium) Gossypii, growth of, on various decoctions, 167, 171, 281, 282; on Richards' solution and modified decoctions, 282 Gomphosphaeria aponina, 294 Greenman, J. M. Monograph of the North and Central American species of the genus Senecio—Part II, 15; Two exotic Compositae in North America, 289 Gyrosus (Merulius), 328

H

Habenaria ciliaris, 38; fimbriata, 38; hyperborea, 39; lacera, 41; psycodes, 37, 42, var. ecalcarata, 38, 42, var. varians, 37, 42
Habenaria psycodes, A spurless variety of, 37
haedinus (Merulius), 319
Harperi (Coniophora), 252
hexagonoides (Merulius), 351
himantioides (Merulius), 356
hirautus (Merulius), 356
hirsutus (Merulius), 335
Hormogoneales, 296
hydnoides (Merulius), 356
Hydnum pinastri, 356; sordidum, 356
Hydrodictyaceae, 300
Hydrodictyaceae, 300
Hymenochaete Ellisis, 257
Hypochnus olivaceus, 267; pallescens, 267; thelephoroides, 268

T

incarnatus (Cantharellus), 310
incarnatus (Merulius), 310
incarasata (Poria), 360
incrassatus (Merulius), 360
Ineffigiata neglecta, 299
inflata (Coniophora), 247
insinuans (Coniophora), 268
insinuans (Stereum), 267
insinuans (Thelephora), 267
Iron, tests for, in diseased and healthy
plant tissue, 181
irpicinus (Merulius), 356
isoporum (Xylomyzon), 338

K

Kalmiae (Coniophora), 246 Kalmiae (Corticium), 246

L

lacrymans (Boletus), 340, forma terrestris, 347
lacrymans (Merulius), 340, forma terrestris, 347
lacrymans var. tenuissimum (Merulius), 345; var. terrestris, 346
lacticolor (Coniophora), 261
lacticolor (Corticium), 262
lacticolor (Xerocarpus), 262
Lenzites saepiaria Fries, Physical properties of wood in relation to decay induced by, 93
leucothrix (Coniophora), 257
leucothrix (Corticium), 257
lichenicola (Merulius), 329
Light, relation of, to the mosaic disease, 205
Lyngbyeae, 296

M

Macrosporium commune, growth of, on plant decoctions, 168, 170
Magnesium, tests for, in diseased and healthy plant tissue, 183
Mangold decoction, growth of Aspergillus niger on, 280, 284; growth of Gloeosporium Gossypii on, 281, 284
Medeola, 86; virginiana, 86
Merismopedia convoluta, 295; glauca, 295; tenuissima, 295
Merulius, 305; albus, 334; ambiguus, 317; americanus, 345; atrovirene, 359; aureus, 343; bellus, 331; brassicaefolius, 348; byssoideus, 358; ceracellus, 339; confluens, 319; corium, 322; cubensis, 326; deglubens, 325; destruens, 340; domesticus, 341; dubius, 330; Farlowii, 336; fugax, 352; gyrosus, 328; haedinus, 319; hexagonoides, 351; himantioides, 349; himantioides, 356;

hirsutus, 312; hirtellus, 335; hydnoides, 356; incarnatus, 310; incrassatus, 360; irpicinus, 356; lacrymans, 340, forma terrestris, 347; lacrymans var. tenuissimum, 345, var. terrestris, 346; lichenicola, 329; minor, 356; mollusous, 352; montanus, 354; niveus, 326; palelns, 321, 362; patellaeformis, 359; pinastri, 356; Pruni, 313; pulverulentus, 349; rubellus, 310; rufus, 338; rugulosus, 337; serpens, 339; sordidus, 324; sororius, 329; spadiceus, 344; spissus, 360; subaurantiacus, 352; sulcatus, 319; sulphureus, 333; tenuis, 349; tenuissimus, 345; terrestris, 346; tomentosus, 334; tremellosus, 313; Ulmi, 319; umbrinus, 355; vastator, 341, 343; Wrightii, 312

Microspora Loefgrenii, 300 minor (Merulius), 356 Moisture, relation of, to mosaic diseases, 195

molluscus (Merulius), 352 montanus (Merulius), 354

Moore, George T. Algological Notes. I, Chlorochytrium gloeophilum Bohlin, 271; II, Preliminary list of algae in Devils Lake, North Dakota, 293

Mosaic diseases of plants, discussion of recent investigations on, 211; infective principle of, 208; physiological relations of, 189; new and recently described, 210; Studies in the, 175

Mougeotia sp., 298 Myxophyceae, 294

N

Nephrocytium Naegelii, 300
Nitrogen, tests for, in diseased and healthy tobacco tissue, 178
nivea (Plicatura), 326
niveus (Merulius), 326
Nodularia spumigena var. genuina, 298
Nostocaceae, 297
Nymphaea capensis var. zanzibariensis, 1, f. rosea, 1; × castalliflora, 3, 14; flavo-virens, 1; "Mrs. C. W. Ward," 1; × "Mrs. Edwards Whitaker," 5, 10, hort. var. marmorata, 8, 12; ovalifolia, 5; "Stella Gurney," 2; "William Stone," 1
Nymphaeas, Hybrid, 1

0

Odontia Sacchari and O. saccharicola, new species on sugar cane, 233 Odontia Sacchari, 233; saccharicola 235; sistotremoides, 250 olivacea (Coniophora), 257 olivacea (Coniophorella), 257 olivacea (Thelephora), 257 olivaceus (Incicioum), 257 olivaceus (Hypochnus), 257 olivaceus (Coniophora), 265 olivasceus (Corticium), 265 Oocystis solitaria, 300 Oscillatoria amphibia, 296; brevis, 296; chalybea, 296; chlorina, 296; geminata, 296; limosa, 296; sp., 297; tenuis, 297 Oscillatoriaceae, 296 Oxidases, re eases, 189 relation of, to mosaic dis-

prasinum (Corticium), 265 Pring, George H. Hybrid nymphaeas, 1 Proteins, tests for, in diseased and healthy plant tissue, 180 Protococcaceae, 299 Protococcales, 299 Protococcaies, 200 Protococcaies, 200 Prune decoction, 166; rious fungi on, 168 Pruni (Merulius), 313 growth of vapulverulentus (Merulius), 349 puteana (Coniophora), 240 puteana (Thelephora), 240 puteanum (Corticium), 240

P pallens (Merulius), 321, 362 pallescens (Corticium), 267 pallescens (Hypochnus), 267 pallescens (Stereum), 267 pallescens (Thelephora), 267 Pandorina sp., 299 aris, 83; quadrifolia, 83; phylla, 84 Paris, tetraphylla, 84 patellaeformis (Merulius), 359 angulosum, 300; Pediastrum angulosum, anum, 300 Bory-Penicillium expansum, growth of, on plant decoctions, 168, 172 Peniophora byssoidea, 263; sordescens, Petersii (Coniophora), 248 Phlebia deglubens, 325 Phosphorus, tests for, in diseased and healthy plant tissue, 184 pinastri (Hydnum), 356 pinastri (Merulius), 356
Pine culture blocks, original samples of, 160, 164, after Lenzites saepiaria had grown mon for one year 163 of, 160, 164, after Lenzites saeparna had grown upon for one year, 162, 164; preparation of, 104, 156; results of series A, 106, charts based on, 147, 148, 150; results of series B, 139, 151; results of series C, charts based on, 151, 152 pinea (Poria), 360 pineus (Polyporus), 360 Pinus echinata, 93; palustris, 93; Taeda, 93 Plectonema, 297, tenue, 297 Plicatura Alni, 326; nivea, 326 polyporoidea (Coniophora), 247 polyporoideum (Cortioium), 247
Polyporus pineus, 360
Poria incrassata, 360; pinea, 360
Potassium, tests for, in diseased and healthy plant tissue, 184 Potato decoction, 166; growth of va-rious fungi on, 168

prasina (Coniophora), 265

R

Ravenelii (Merulius), 332 Resin, relation of, to wood decay, 94 rimosus (Merulius), 327 Rivularia Bornetiana, 271; nidulans, 272 Rivulariaceae, 298 rubellus (Merulius), 310 rufum (Xylomyzon), 338 rufus (Merulius), 338 rugulosus (Merulius), 337

Sacchari (Odontia), 233 saccharicola (Odontia), 235 saccharinum (Corticium), 337 Salmon decoction, growth of Asper-gillus niger on, 280, 287; growth of Gloeosporium Gossypii on, 281, 287 Scenedesmaceae, 299 Scenedesmus bijuga, 300; quadricauda, Schmitz, H., Duggar, B. M., and Severy, J. W. Studies in the physiology of the fungi. III, The growth of cer-tain fungi in plant decoctions, 165, V, 279 Scytonemaceae, 298
Seed, transmission of the mosaic disease through, 206 Senecio, Monograph of the North and Central American species of the genus—Part II, 15 Senecio, 15; Arizonicus, 28; aureus var.

multilobatus, 16; Austinae, 33; brasiliensis, 290; Breweri, 30, var. contractus, 31; cannabinaefolius, 289; tractus, 31; cannaoinacional, diffusus, 27; eurycephalus, 31; eurycephalus, 30; franciscanus, 29; intrepidus, 34; ionophyllus, 33, var. sparsilobatus, 34; lapidum, 18; leucoreus, 21; lynceus, 21, 36; macoropus, 28; millelobatus, 19; multilobatus, 16, var. Standleyi, 17; multilobatus, 19, 21; Nelsonii var. uintah-

ensis, 24, var. utahensis, 25; Neo-Mexicanus, 33; parrasianus, 20; prolixus, 27; quercetorum, 28; 20; prolizus, 27; querectorum, 28; scalaris, 22; sparsilobatus, 34; stygius, 27; sylvaticus, 291; Tampicanus, 19; Thornberl, 23; Tidestromii, 31; uintahensis, 24; utahensis, 25 serpens (Merulius), 339 Serpula, 305
Severy, J. W., Duggar, B. M., and
Schmitz, H. Studies in the physiology of the fungi. III, The growth of certain fungi in plant decoctions, 165, V, 279 Siphonocladiales, 301 sistotremoides (Coniophora), 249 sistotremoides (Odontia), 250 sistotremoides (Thelephora), 249 Solanum triphyllon, 45, flore hexape-talo carneo, 65; Virginianum tryphyllon, 45 sordescens (Diplonema), 263 sordescens (Peniophora), 263 sordidum (Hydnum), 356 sordidus (Merulius), 324 sordulenta (Coniophora), 267, 268 sordulentum (Corticium), 268 sororius (Merulius), 329 spadiceus (Merulius), 344 Specific gravity, relation of, to wood decay, 99 Spirulina major, 297; Nordstedtii, 297; subtilissima, 297; tenerrima, 297 spissus (Merulius), 360 Starch, tests for, in diseased and healthy plant tissue, 186 Stereum insinuans, 267; pallescens, 267 Studies in the physiology of the fungi.
III, Physical properties of wood in relation to decay induced by Lenzites saepiaria Fries, 93; IV, The growth of certain fungi in plant decoctions, 165; V, The growth of certain fungi in plant decoctions, 279 subaurantiacus (Merulius), 352 subochracea (Coniophora), 265 suffocata (Coniophora), 254 suffocatum (Corticium), 254 Sugar, tests for, in dise diseased and healthy plant tissue, 187 Sugar beet decoction, 166; growth of various fungi on, 168
sulcatus (Merulius), 319
Sulphur, tests for, in diseased and
healthy plant tissue, 185
sulphusau (Merulius), 232 sulphureus (Merulius), 333

T

Temperature, relations of, to mosaic diseases, 195, 226, 228 tenuis (Merulius), 349

tenuissimus (Merulius), 345
terrestris (Merulius), 346
Tetrapedia gothica, 295
Tetrasporaceae, 299
Thelephora arida, 244; cerebella, 240;
insinuans, 267; byssoides, 263; olivacea, 257; pallescens, 267; puteana, 240; sistotremoides, 249; umbrina, 256, var. β, 256
Thelephoraceae of North America, The, VIII, 237
thelephoroides (Corticium), 268
thelephoroides (Hypochnus), 268
Tobacco, mosaic disease of, 192, 230
Tolypothrix lanata, 298
Tomato, mosaic disease of, 192
tomentosus (Merulius), 334
Total nitrogen, tests for, in diseased and healthy plant tissue, 179
tremellosus (Merulius), 313
Trillium, A systematic study of the North American genus, its variability, and its relation to Paris and Medeola, 43
Trillium, 44; affine, 66; album, 53; atropurpureum, 53; californicum, 59; Catesbaei, 65; cernuum, 56; cernuum,

Medeola, 43
rillium, 44; affine, 66; album, 53; atropurpureum, 53; californicum, 59; Catesbaei, 65; cernuum, 56; cernuum, 55; decumbens, 45; discolor, 44; erectum, 55; var. album, 53, var. viridiflorum, 54; erectum var. atropurpureum, 53, var. declinatum, 55, var. y. 7, 54, var. ochroleucum, 54, var. rubrum, 53; erythrocarpum, 56, 57; foetidum, 53; giganteum, 49, var. angustipetalum, 51, 92, var. chloropetalum, 50, 90; Govaniana, 83; grandiflorum, 57, var. trans. parvum, 58, var. trans. variegatum, 58; grandiflorum, 57, var. trans. parvum, 68; Hugeri, 46; lanceolatum, 48; Ludovicianum, 47; luteum, 46, 90, var. latipetalum, 48, 90; nervosum, 65; nivale, 63; obovatum, 68; obovatum, 57, 59; ovatum, 59, var. trans. stenoaepalum, 61, 88; pendulum, 54; petiolatum, 49; pictum, 56; pumilum, 52; purpureum, 53; pusillum, 52; recurvatum, 48, var. lanceolatum, 48; rhomboideum, 52; var. album, 53; yaradiforum, 57; rivale, 65; Rugelii, 55; Scouleri, 57; sessile, 45; sessile var. angustipetalum, 51, var. Californioum, 49, var. chloropetalum, 50, var. yiganteum, 49, var. Nuttallii, 47, var. viridescens, 47, var. Wrayi, 44; simile, 55; stamineum, 44; stylosum, 65; tersphylla, 84; Texanum, 52; Underwoodii, 45; undulatum, 56; unguioulatum, 49; Vaseyi,

54, forma album, 55; venosum, 66, 88; viride, 47; viridescens, 47
Trogia Almi, 326
Turnip decection, 166; growth of various fungi on, 168

T

Ulmi (Merulius), 319
Ulothrix zonata, 301
Ulotrichaeeae, 300
Ulotrichales, 300
Ulvaceae, 301
umbrina (Coniophora), 256
umbrina (Coniophorella), 256
umbrina (Thelephora), 256, var. β, 256
umbrinum (Corticium), 256
umbrinus (Merulius), 355

V

vaga (Coniophora), 251 vastator (Merulius), 341, 343 Volvocaceae, 299 Volvocales, 299

W

Wrightii (Merulius), 312

X

Xerocarpus lacticolor, 262 Xylomyzon destruens, 341; isoporum, 338; rufum, 338

V

Yellow pine, durability of, 93

Z

Zeller, S. M. Studies in the physiology of the fungi. III, Physical properties of wood in relation to decay induced by Lenzites saepiaria Fries, 93 Zoochlorella conductrix, 300

